

ANCO
rubinetterie

















MADE IN ITALY













1972-2022



31
CATALOGUE 

	Art.	Description	Version	Size	Box	Crt	Code	
	001	EAGLE Bibcock with sliding closing element ® ANCOJET System	with brass hose connection	1/2"	10	90	0010120	
	003		with plastic hose connection			90	0030120	
	005		without hose connection			120	0050120	
	011	FALCON Washing-machine valve with sliding closing element ® ANCOJET System	nickel-plated	1/2"	15	225	0110120	
	015		chrome-plated				0150120	
	403	Angle valve heavy line with rosette, long nut		1/2"x10	1	140	403012I	
						150	403012S	
	411	Angle valve heavy line with rosette		1/2" x 1/2"	1	140	411012I	
						150	411012S	
	413			1/2" x 3/8"		140	413012I	
						150	413012S	
	415	Angle valve heavy line with zamac handle with non rising spindle	three-cornered handle with plastic pin	1/2"x1/2"	1	92	415012P	
						100	415012S	
	416		five-cornered handle with plastic pin			92	416012P	
						100	416012S	
	417		three-cornered plain handle			92	417012P	
						100	417012S	
	424	Angle valve heavy line with inox filter and auto shut-off system, with rosette	with chrome- plated handle	1/2" x 3/8"	1	140	424012P	
							150	424012S
			with blue and red head		1 pair	92	424V12P	
						100	424V12S	
	425		with chrome- plated handle		1/2" x 1/2"	1	140	425012P
								150
		with blue and red head	1 pair	92		425V12P		
				100		425V12S		
	427	Angle valve heavy line with inox filter and auto shut-off system, with rosette, long nut	with chrome- plated handle	1/2"x10	1	140	427012P	
							150	427012S
			with blue and red head		1 pair	92	427V12P	
						100	427V12S	
	503	Angle valve heavy line with rosette, long nut. According to german standard PA-IX 302/I		3/8"x10	1	140	503038I	
						150	503038S	
				1/2"x10		140	503012I	
						150	503012S	
	504		with teflon seal	3/8"x10		140	504038I	
				1/2"x10		150	504038S	
				140	504012I			
				150	504012S			

	Art.	Description	Version	Size	Box	Crt	Code	
	505	Angle valve heavy line with rosette, long nut and pre-assembled cartridge. According to german standard PA-IX 302/I		3/8"x10	1	140	505038I	
				1/2"x10		150	505038S	
	506		with teflon seal	3/8"x10		140	505012I	
				1/2"x10		150	505012S	
				3/8"x10		140	506038I	
				1/2"x10		150	506038S	
							140	506012I
							150	506012S
	523	Angle valve without internal chrome-plating, with rosette, long nut and pre-assembled cartridge "SUN".		1/2"x10	1	52	523012A	
	524	According to german standard PA-IX 302/I	with teflon seal	1/2"x10		52	524012A	
	549	Aerator		3/4"	15	225	5490340	
	550	Washing-machine valve with hose connection and non return head		3/8"	5	75	550038L	
					1	85	550038P	
	553	Washing-machine valve, right execution, with hose connection and non return head, for side connection, with extension Extension mm. 40		3/4"	4	60	553034L	
					1	80	553034P	
					15	225	553034D	
	554	Washing-machine valve, right execution, with hose connection, nut and non return head, for side connection, with extension Extension mm. 50		3/4"	4	60	554034L	
					1	72	554034P	
					15	225	554034D	
	557	Washing-machine valve, inclined execution, with hose connection and non return head		1/2"	5	75	557012L	
					1	52	557012P	
	558	Washing-machine valve, left execution, with hose connection and non return head, for side connection, with extension		3/4"	4	60	558034L	
					1	80	558034P	
	559	Washing-machine valve, left execution, with hose connection, nut and non return head, for side connection, with extension		3/4"	4	60	559034L	
					1	72	559034P	
	567	Washing-machine valve, inclined execution, with hose connection, aerator and non return head		1/2"	5	75	567012L	
					1	52	567012P	
	603	Angle valve standard line with rosette, long nut		1/2"x10	1	140	603012P	
						150	603012S	
	611	Angle valve standard line with rosette		1/2" x 1/2"	1	140	611012P	
						150	611012S	
	613	Angle valve standard line with rosette		1/2" x 3/8"	1	140	613012P	
						150	613012S	
	615	Angle valve standard line with rosette		1/2" x 3/4"	1	140	615012P	
						150	615012S	
	617	Angle valve standard line with zamac three cornered plain handle, with rosette		1/2" x 1/2"	1	92	617012P	
						100	617012S	

	Art.	Description	Version	Size	Box	Crt	Code
	655	Washing-machine/angle valve with non return head, rosette, hose connection and copper pipe connection 10 mm.		3/8"	4	60	655038L
					1	52	655038P
				1/2"	4	60	655012L
	1		52		655012P		
	656		with pre-assembled cartridge	3/8"	4	60	656038L
					1	52	656038P
1/2"		4		60	656012L		
	1	52	656012P				
	125	Extension for recessed valve, 25 mm					1250000
	130	Recessed full flow ball valve	with zinc-alloy cap	1/2"	10		1300120
				3/4"	5		1300340
				1"	5		1300010
	131		with brass cap	1/2"	10		1310120
				3/4"	5		1310340
				1"	5		1310010
	132		with zinc-alloy lever handle	1/2"	8		1320120
				3/4"	6		1320340
				1"	5		1320010
	133		with brass lever handle	1/2"	6		1330120
				3/4"	5		1330340
				1"	4		1330010
	134	with "Gamma" handle	1/2"	6		1340120	
			3/4"	5		1340340	
			1"	4		1340010	
	170	Ball cock, tapered for wooden wine casks, with padlock ring		10	10		1700100
				12	10		1700120
				14	8		1700140
				16	8		1700160
				18	5		1700180
				20	5		1700200
	172		long execution	10	10		1720100
				12	10		1720120
				14	6		1720140
				16	6		1720160
				18	5		1720180
				20	5		1720200
	174	Nozzle for items 170-172	10-12			1740100	
			14-16			1740140	
			18-20			1740180	

ANCO
rubinetterie
di BONOMINI ANGELO & C. s.n.c.

25069 VILLA CARCINA (BS) - Italy - Via G. Galilei, 7/9
Tel +39 030 8900793 - Fax +39 030 8900227
www.anco.it - info@anco.it

GPS:N45,643990 E 10,197250
N: 45° 38' 38" E 10° 11' 50"