



100% MADE IN ITALY



	Art.	Description	Version	Size	Pc x bag	Pc x box	Master crt	Code
	001	EAGLE Bibcock with sliding closing element ANCOJET System	with brass hose connection	1/2"	1		125	0010120
	003		with plastic hose connection		1		125	0030120
	005		without hose connection			10	120	0050120
	011	FALCON Washing-machine valve with sliding closing element ANCOJET System	nickel-plated	1/2"		15	225	0110120
	015		chrome-plated					0150120
					chr.plat.with rosette	1	10	150

	403	Angle valve heavy line with rosette, long nut		3/8"x10		1	140	403038I
					1		150	403038S
				1/2"x10		1	140	403012I
					1		150	403012S
	404		with teflon seal	3/8"x10		1	140	404038I
					1		150	404038S
				1/2"x10		1	140	404012I
					1		150	404012S
	405	Angle valve heavy line with rosette, long nut and pre-assembled cartridge		3/8"x10		1	140	405038I
					1		150	405038S
				1/2"x10		1	140	405012I
					1		150	405012S
	406		with teflon seal	3/8"x10		1	140	406038I
					1		150	406038S
				1/2"x10		1	140	406012I
					1		150	404012S
	411	Angle valve heavy line with rosette		1/2" x 1/2"		1	140	411012I
					1		150	411012S
	413			1/2" x 3/8"		1	140	413012I
					1		150	413012S

	415	Angle valve heavy line with zamac handle with non rising spindle	three-cornered handle with plastic pin	1/2"x1/2"		1	92	415012P
					1		100	415012S
	416		five-cornered handle with plastic pin			1	92	416012P
					1		100	416012S
	417		three-cornered plain handle			1	92	417012P
					1		100	417012S

	Art.	Description	Version	Size	Pc x bag	Pc x box	Master crt	Code
	424	Angle valve heavy line with inox filter and auto shut-off system, with rosette	with chrome-plated handle	1/2" x 3/8"		1	140	424012P
					1		150	424012S
			with blue and red head			1 pair	92	424V12P
					1 pair		100	424V12S
	425	Angle valve heavy line with inox filter and auto shut-off system, with rosette	with chrome-plated handle	1/2" x 1/2"		1	140	425012P
					1		150	425012S
			with blue and red head			1 pair	92	425V12P
					1 pair		100	425V12S
	427	Angle valve heavy line with inox filter and auto shut-off system, with rosette, long nut	with chrome-plated handle	1/2"x10		1	140	427012P
					1		150	427012S
			with blue and red head			1 pair	92	427V12P
					1 pair		100	427V12S

	603	Angle valve standard line with rosette, long nut		1/2"x10		1	140	603012P
					1		160	603012S
	611	Angle valve standard line with rosette		1/2" x 1/2"		1	140	611012P
					1		160	611012S
	613			1/2" x 3/8"		1	140	613012P
					1		160	613012S
	615			1/2" x 3/4"		1	140	615012P
					1		160	615012S
	617	Angle valve standard line with zamac three cornered plain handle, with rosette		1/2" x 1/2"		1	92	617012P
					1		100	617012S

	655	Washing-machine/angle valve with non return head, rosette, hose connection and copper pipe connection 10 mm		3/8"		4	60	655038L
						1	92	655038P
				1/2"		4	60	655012L
						1	92	655012P
	656		with pre-assembled cartridge	3/8"		4	60	656038L
						1	92	656038P
				1/2"		4	60	656012L
						1	92	656012P

	Art.	Description	Version	Size	Pc x bag	Pc x box	Master crt	Code
	125	Extension for recessed valve, 25 mm						1250000
	130	Recessed full flow ball valve	with zinc-alloy cap	1/2"		10		1300120
				3/4"		5		1300340
				1"		5		1300010
	131		with brass cap	1/2"		10		1310120
				3/4"		5		1310340
				1"		5		1310010
	132		with zinc-alloy lever handle	1/2"		8		1320120
				3/4"		6		1320340
				1"		5		1320010
	133		with brass lever handle	1/2"		6		1330120
				3/4"		5		1330340
				1"		4		1330010
	134		with "Gamma" handle	1/2"		6		1340120
				3/4"		5		1340340
				1"		4		1340010
	170	Ball cock, tapered for wooden wine casks, with padlock ring		10		10		1700100
				12		10		1700120
				14		8		1700140
				16		8		1700160
				18		5		1700180
				20		5		1700200
	172		long execution	10		10		1720100
				12		10		1720120
				14		6		1720140
				16		6		1720160
				18		5		1720180
				20		5		1720200
	174	Nozzle for items 170-172		10-12				1740100
				14-16				1740140
				18-20				1740180

ANCO
rubinetterie
di BONOMINI ANGELO & C. s.n.c.

25069 VILLA CARCINA (BS) - Italy - Via G. Galilei, 7/9
Tel +39 030 8900793 - Fax +39 030 8900227
www.anco.it - info@anco.it

GPS: N45,643990 E 10,197250
N: 45° 38' 38" E 10° 11' 50"